

iPass SmartConnect™ Client for Windows v2.12.0 Release Notes

SEP 2018

New Features and Enhancements

iPass SmartConnect client for Windows v2.12.0 added the following new enhancements:

- Improved inflight Wi-Fi connectivity and user experience
- Improved user experience for inflight captcha entry on flights with upgraded Gogo inflight systems
- Added enhancements for app robustness and troubleshooting

System Requirements

The latest version of iPass has the following system requirements:

Operating System

Any of the following:

- Windows 10 (Win10, WinX)
- Windows 8 or Windows 8.1 (32- or 64-bit)
- Windows 7 or Windows 7 SP1 (32- or 64-bit)

Additional Software Components

- For Windows XP:
 - WLAN API and .NET Framework 3.5 SP1 or 4.0 must be installed.
 - 802.1x connections on Windows XP require the Windows hotfix available at <http://support.microsoft.com/kb/958071>.
 - Com+ Event System, Com+ System Application, and MSDTC services must be installed and running.
- For Windows Vista version earlier than SP1, .NET Framework 3.5 SP1 or 4.0 must be installed.

Hardware Requirements



- 1 GHz 32-bit (x86) or 64-bit (x64) processor
- 1 GB of system memory
- 1 GB of disk space
- 512 MB of physical memory
- Support for DirectX 9 graphics and 32 MB of graphics memory
- A recommended screen resolution of at least 1024x768
- At least one connectivity device installed, depending on your intended connection type:
 - A Wi-Fi adapter for a wireless connection
 - An iPass -supported Mobile Broadband device, plus appropriate driver software installed
 - An Ethernet adapter for an Ethernet connection
 - A 56K v90/92 modem for a Dial connection
 - A DSL modem for a DSL connection

Supported Languages

Brazilian Portuguese, English (US and UK), French, German, Japanese, Korean, Mexican Spanish, Spanish, Simplified Chinese, Traditional Chinese, and Thai.

Resolved Issues

iPass 2.12.0. resolves the following issues:

Issue ID	Description	Resolution
OMWIN-1841 OMWIN-1860 OMWIN-1864 OMWIN-1863	Fixed bugs pertaining to 802.1x authentication for secure networks.	Fixed
OMWIN-1821	Improved user experience so that browser login window is not presented unnecessarily by the iPass SmartConnect app, such as during autoconnect retries.	Fixed
OMWIN-1782 OMWIN-1850 OMWIN-1870 OWMIN-1809 OMWIN-1858 OMWIN-1852 OMWIN-1886 OMWIN-1950	Improved app troubleshooting by improving logging methodology and optimizing connection status codes.	Fixed
OMWIN-1895	Eliminated security vulnerability found with EPCcmd.exe.	Fixed



OMWIN-1872	Added ethernet adapters to detect two models of ThinkPad docking stations: ThinkPad OneLink Pro Dock Giga Ethernet and ThinkPad USB-C Doc Ethernet.	Fixed
OMWIN-1795	Added enhancements to improve reliability and troubleshooting	Fixed

Copyright ©2018, iPass Inc. All rights reserved.

Trademarks

iPass and the iPass logo are trademarks of iPass Inc.

All other brand or product names are trademarks or registered trademarks of their respective companies.

Warranty

No part of this document may be reproduced, disclosed, electronically distributed, or used without the prior consent of the copyright holder. Use of the software and documentation is governed by the terms and conditions of the iPass Corporate Remote Access Agreement, or Channel Partner Reseller Agreement. Information in this document is subject to change without notice. Every effort has been made to use fictional companies and locations in this document. Any actual company names or locations are strictly coincidental and do not constitute endorsement.

