

Open Mobile 2.5 for Android Release Notes

VERSION 1.0, AUGUST 2012

These release notes contain the latest news and information about Open Mobile 2.5.

New Features

Open Mobile 2.5 includes the following new features:

- **Android 4.1 (Jelly Bean) Support:** Open Mobile is now supported on the Android 4.1 OS (Jelly Bean).
- **Billing Period:** Android devices with Mobile Broadband connections will now display usage by billing period, not by month.
- **Improved Reporting:** Crash reporting is now more detailed, to improve troubleshooting.
- **Lufthansa In-Flight:** Customers with the Lufthansa In-Flight service can now connect to Panasonic Avionics.
- **Clear Button:** On the **Recent Connections** screen, the new **Clear** button will delete the recent connection history.
- **UI Enhanced for Tablets:** The Open Mobile UI is now enhanced for Google Nexus 7 tablets.

Technical Requirements

Using Open Mobile requires the following:

- A Wi-Fi capable device running Android OS 2.2 or later, including Android OS 4.0.
- A screen with HVGA or higher resolution.
- The app can be distributed through the Android Market, private market, web sites, or email.
- Users need an iPass account in order for the service to function. In addition, the user must be connected to the Internet (by Wi-Fi or 3G network) to activate Open Mobile.

Supported Languages

iPass Open Mobile 2.5 is available in English, Simplified Chinese, Traditional Chinese, Dutch, French, German, Italian, Japanese, Korean, Spanish, and Thai.



Resolved Issues

This release of Open Mobile 2.5 resolves the following issues:

Issue ID	Description
116635	In the Open Mobile Portal, the PPR feature is not available for Android clients, and these boxes will no longer be displayed when creating Android clients.

Known Limitations

The following limitations are known for Open Mobile 2.5:

Issue ID	Description
116792	In some cases, on the Samsung Galaxy S2, device, on a bundled APK will not show the correct branded Launcher icon. However, after installation, the correct Launcher icon is installed and displays correctly.
116169	By design, activation with the profile finder is not backwardly compatible with cross-class profile use. For example, if a WiFiMobilize profile is marked as favorite, and on providing a different platform Profile ID, Open Mobile will retrieve the WiFiMobilize favorite profile.
112684	Branded clients have to be distributed directly using a bundled installer, and if the branding has changed, the bundled installer has to be redistributed (a profile update will not generate the branding changes).
112372	If the device is connected to your computer by USB and mounted while Open Mobile is running, the app will restart after the device is unmounted and unplugged. This behavior is by design, but it may cause some SQM connection data to be lost.
112362	Bundled APKs that have PINs set cannot have their included profiles upgraded.

Known Issues

The following issues are known for Open Mobile 2.5:

Issue ID	Description
117142	On the Samsung Galaxy S II device, in some cases, Open Mobile may display a message that a connection was successful before the connection is completed.
117309	During a connection to a Lufthansa In-Flight network, if the user minimizes the browser or navigates to another page, the CAPTCHA page will fail to load. Users should let the connection succeed before minimizing or navigating away from the connection.
116807	Prior to the release of Android 4.0, Open Mobile has been acting as de facto Wi-Fi Manager handling connections without needing much user interaction. Starting in Android 4.0, Android will display the message <i>Sign in to Wi-Fi network</i> in the notification bar, whenever the device has connected to a walled garden network. If the user responds to this notification, the browser is launched to handle Web authentication. Even with Open Mobile installed, this notification cannot be suppressed because the Android 4.0 OS behaves differently than earlier versions. This impact to Open Mobile behavior is cosmetic and may be ignored.

Issue ID	Description
116605	In some cases, Android 4.0 devices may loop in the presence of access points with a non-effective DHCP server. When this occurs, an Open Mobile connection attempt can continue for up to 2 minutes while reporting "Connecting". The user may intervene at any time to either disconnect from the malfunctioning network or initiate a connection to another available network. Device connectivity is not disrupted during these events.
110108	While Open Mobile is auto-connecting, the user may still be notified that iPass networks are available for connection.

Copyright ©2012, iPass Inc. All rights reserved.

Trademarks

iPass, iPassConnect, ExpressConnect, iPassNet, RoamServer, NetServer, iPass Mobile Office, DeviceID, EPM, iSEEL, iPass Alliance, Open Mobile, and the iPass logo are trademarks of iPass Inc.

All other brand or product names are trademarks or registered trademarks of their respective companies.

Warranty

No part of this document may be reproduced, disclosed, electronically distributed, or used without the prior consent of the copyright holder.

Use of the software and documentation is governed by the terms and conditions of the iPass Corporate Remote Access Agreement, or Channel Partner Reseller Agreement.

Information in this document is subject to change without notice.

Every effort has been made to use fictional companies and locations in this document. Any actual company names or locations are strictly coincidental and do not constitute endorsement.

