

Open Mobile 3.0.0 for iOS Release Notes

VERSION 1.1, FEBRUARY 2013

These release notes contain the latest news and information about iPass Open Mobile 3.0.0 for iOS, including new features, technical requirements, resolved issues, limitations, and known issues.

New Features

iPass Open Mobile 3.0.0 for iOS has the following new features:

- **Background Auto-Login:** For devices running iOS 6.0 and later, Open Mobile profiles can now enable Auto-Login while the application is in the background.
 - For clients updating from versions earlier than 3.0, the user's profile must be for 3.0 or later clients, and background auto-login must be enabled in the profile.
- **iPass Network Annotation:** For devices running iOS 6.0 and later, iPass network hotspots which are detected by iOS and listed in iOS Wi-Fi **Settings** will be identified with the annotation *An iPass Network*.
- **Faster Downloads:** Profile and directory update downloads are now compressed, and will take place more quickly.
- **Activation URL:** The Activation page now includes a URL that will enable the user to obtain an activation code.

System Requirements

iPass Open Mobile 3.0.0 for iOS requires the following:

- iOS 4.3 or later.
- iOS multitasking support (for example, iPhone 3GS or later, iPod Touch third generation or later, or any iPad).
- Users need an iPass account in order for the service to function. In addition, the user must be connected to the Internet (by Wi-Fi or Mobile Broadband) to activate Open Mobile.

Supported Languages

Open Mobile is available in English, French, German, Spanish, Italian, Korean, Japanese, Thai, Simplified Chinese, and Traditional Chinese.



Resolved Issues

This release of Open Mobile resolves no customer-impacting issues.

Known Limitations

iPass Open Mobile 3.0.0 for iOS has the following limitations:

Issue ID	Description
117751	On branded clients with iOS versions 5.0 or earlier, the app navigation bar does not reflect the modified <code>NavigationBarColor</code> of the branded client.
117543	The PIN field does not support entry using a non UTF-8 keyboard.
117522	When Open Mobile is installed on an iPad, location services are enabled in device Settings.
115964	If Open Mobile is running in the background and the device is switched off, data usage that occurred while Open Mobile was running in the background will not be counted correctly.
n/a	Open Mobile will cache a DHCP-assigned IP address. However, when later attempts to connect are made, no attempt is made to determine if the IP address is valid. As a result, some connections may fail unless the DHCP address is manually refreshed.

Known Issues

There are no customer-impacting issues specific to the 3.0.0 release.

Copyright ©2013, iPass Inc. All rights reserved.

Trademarks

iPass, iPassConnect, ExpressConnect, iPassNet, RoamServer, NetServer, iPass Mobile Office, DeviceID, EPM, iSEEL, iPass Alliance, Open Mobile, and the iPass logo are trademarks of iPass Inc.

All other brand or product names are trademarks or registered trademarks of their respective companies.

Warranty

No part of this document may be reproduced, disclosed, electronically distributed, or used without the prior consent of the copyright holder. Use of the software and documentation is governed by the terms and conditions of the iPass Corporate Remote Access Agreement, or Channel Partner Reseller Agreement. Information in this document is subject to change without notice. Every effort has been made to use fictional companies and locations in this document. Any actual company names or locations are strictly coincidental and do not constitute endorsement.

